0

**RECEIPT** 

Department of Ecology (4610) PO Box 47611 Olympia, WA 98504-7611 (360) 407-7095 Receipt Number Manual Receipt 14CJ005776

| Document Number                     | 461S0462 CJ       | Date 10/1 | <b>6/2013</b> F        | M 04                     |      |         |            |            |     |                   |           | 4       |               |           |
|-------------------------------------|-------------------|-----------|------------------------|--------------------------|------|---------|------------|------------|-----|-------------------|-----------|---------|---------------|-----------|
| Remitter Name                       | AMERITITLE        |           | R                      | eceipt Name              |      |         |            |            |     |                   |           |         |               |           |
| Check/Draw Number                   | 42695             |           |                        |                          |      |         |            |            |     |                   |           |         |               |           |
| Document Amount                     | 57.02             |           |                        |                          |      |         |            |            |     |                   |           |         |               |           |
| Method of Payment                   | Check             |           |                        |                          |      |         |            |            |     |                   |           |         |               |           |
| Comment Description                 | SUNCADIA G4-35617 |           |                        |                          |      |         |            |            |     |                   |           |         |               |           |
| REF DOC REF INV NR<br>NR DOC<br>SFX | ID NR SUB ID NR   | TC R FUND | MAJ MAG SUB<br>GRP SRC | SRC CNTY WORK PIC<br>CLS | AI   | ORG PRJ | SUB<br>PRJ | PRJ<br>PHS | SUB | SUB<br>SUB<br>OBJ | VAR<br>GL | SUB SID | SUB SID<br>CR | ALLOC AMT |
|                                     |                   | 001 05W   | 04 99 SUN              | CAD                      | 3/27 | Y BEN   | E SE V     |            |     |                   | 419       |         |               | 57.02     |





| , /  | IEW ROUTER   |
|--|--|
| WBN <b>DETERMINATION</b> Letter  | ☐ WBN REPORT OF EXAMINATION  |
| ☐ WBN <b>REJECT</b> & RETURN Letter  | ☐ WBN <b>DENIAL</b> Letter   |
| AMENDED:   | EXCHANGE CONTRACT Assignment   |
| Other:   | 5724598  |
| File No.: 64-35617  Author/Date: 61-35617  SharePoint: >Water Right Documents>   | WRIA: 37 COUNTY: Benton Yakima Kittitas Remarks, Special Instructions, Related Files:  |
|  |  |
| Dates drafted/edited (Admin):  | Please use Back of Page.  CC's (Check application signatures):  CC's (Check application signatures):   |
| GWIS mapping review (review changes BEFORE final) GWIS initials/date: GWIS remarks & edits (if more room is needed use back of page):                            |  |
| Changes in 4 places wife   | Trust Water Right Debited:  Permit Writer (Initial and Date)  USBR-Ecology Contract Debited  Permit Writer (Initial and Date)  |
| Sage Park  | — Fernit When (limital align Date)   |
| Operations Sup. (Initial/Date indicate DRAFT ROE is ready to post)  Stuart Luttrell  Technical Sup. (Initial/Date indicate DRAFT ROE is ready to post)           | cc's & protestants (more room on back of page) Yakama Nation Suncadia, LLC Joe Mentor, Jr. (email: mentor@mentorlaw.com)   |
| Mark Kemner Section Mgr  | Jessica Kuchan (email: <a href="mailto:kuchan@mentorlaw.com">kuchan@mentorlaw.com</a> )  SwiftWater (email: <a href="mailto:gleasonproperties@comcast.com">gleasonproperties@comcast.com</a> ) |
| Email pdf to Chris Anderson, HQ to Post to Net: (posted for 2 week   | Roth-Clennon (email: teroth@earthlink.net)  Masterson (email: kmasterson@inlandwireless.com)   |
| Sage Park Operations Sup (Initial/Date FINAL ROE is ready for Posting/Mailing Stuart Luttrell Technical Sup (Initial/Date FINAL ROE is ready for Posting/Mailing | (email: heather cannon@doh wa gov)   |
| Mark Kemner Section Mgr (Initial/Date) FINAL ROE is ready for Posting/Mailing  Email pdf to Chris Anderson, HQ to Post to Net:                                   | Your Right to Be Heard  PPO appeal? No Your Right to Be Heard  Water Measurement Requirements & Form 1  Focus on Water Right Relinquishment (98-1812-WR)                                       |
| (Section Manager Initial/Date); Admin: Send to USBR  | Comments/Notes may be made an back of nage   |

| Annlicant | nk: Suncadia Green Thatched TRS:T.19R.1687  name: Devin/Amy CASTO WBN WRTS No. 64-35617  |
|-----------|--|
| Applicant | 강한 사용하다 가면 되는 것이 없는 하는 가장 가장에 하는 것이 되었다. 그는 그는 그는 그들은 사용이 되었다. 그는 그는 그는 그는 그는 그는 것이다.  |
|           | Checklist for Reviewing Requests for Determination of Water Budget Neutrality (RDWBN)  |
| l.        | Does the rule apply? Existing Well (BAE-695) PARCEL: 953974  |
|           | Is the well within the mapped Upper Kittitas area? no  |
|           | Is proposed use either domestic, group domestic, awn or noncommercial garden, municipal, stock watering,   |
|           | or industrial? (Circle all that apply)   |
| II.       | Does the total proposed water use and purpose(s) fall under the limits of the groundwater permit exemption?  |
|           | Is this group or non group use? (Circle one)   |
|           | If group use, number of parcels of (total # parcels in group)  |
|           | Does the owner have interest in any proximate parcel? yes no   |
|           | Does the owner have significant, voluntary joint activity and cooperation with the owner of a proximate  |
|           | parcel? yes no   |
|           | Exempt? yes no   |
|           | Require Permit? (Check parcel map, County website, Well logs, SEPA documents, etc, as appropriate)   |
|           | yes _X no  |
| III.      | Is the necessary information provided in RDWBN per WAC 173-539A-050(2)   |
|           | Mitigation trust water rights identified? X yes no, TWR No. CS4-05259CTCL@2867   |
|           | Site map provided? no  |
|           | Area to be irrigated provided: O O Lacres  |
|           | Soil Report provided (if needed) yesnon/a  |
|           | Provided signed covenant restricting trees/shrubs over drain field OR Sewer Utility agreement? (Circle one)  |
| 7         | For parcel number: 953975  |
|           | Is the Request signed?   |
|           | ☐ GW mitigation agreement provided: <a href="tel://www.yesno">www.yesno</a> Other necessary information missing:   |
|           | Group Use Reviewer: 6 Date 6-4-13  |
|           |  |
| IV.       | Executed agreement to designate a portion of a TWR provided and signed?  |
| V.        | Is the TWR proposed for mitigation suitable for the applicant's proposal?  |
|           | ☐ Proposal complies with applicable TWR agreement  |
|           | ☐ What is the suitability area for the subject Trust Water Right: green, red, or yellow?   |
|           | ☐ Is a USBR contract assignment required? ✓ yes no   |
|           | If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to  |
|           | [40] 도마 :  |
|           | WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact  |
|           | WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter   |
|           | WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.  |
|           | <ul> <li>WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.</li> <li>If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage</li> </ul>  |
|           | <ul> <li>WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.</li> <li>If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects on</li> </ul>   |
|           | <ul> <li>WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.</li> <li>If green and a contract assignment is required, fill out "'Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects on March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again.</li> </ul>  |
|           | <ul> <li>WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.</li> <li>If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects on</li> </ul>   |
|           | WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.  ☐ If green and a contract assignment is required, fill out "'Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects on March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again.  ☐ If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  |
| VI.       | WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.  If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects on March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again.  If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water  |
| VI.       | WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.  ☐ If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects on March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again.  ☐ If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water offered per WAC 173-539A-060(2)(a)? ✓ yes no (Use the calculator and CU values from WAC 173-539A   |
| VI.       | WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.  If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects on March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again.  If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water  |
| VI.       | WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.  ☐ If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects on March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again.  ☐ If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water offered per WAC 173-539A-060(2)(a)? ✓ yes no (Use the calculator and CU values from WAC 173-539A   |
|           | WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.  If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects on March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again.  If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water offered per WAC 173-539A-060(2)(a)? yes no (Use the calculator and CU values from WAC 173-539A unless additional specific information is provided by the applicant)  |
|           | WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.  If green and a contract assignment is required, fill out "'Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects on March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again.  If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water offered per WAC 173-539A-060(2)(a)? yes no (Use the calculator and CU values from WAC 173-539A unless additional specific information is provided by the applicant)  Has the RDWBN been provided to the Fish Group? yes no n/a Date ready for fish group: |
| VII.      | WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.  If green and a contract assignment is required, fill out "'Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects on March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again.  If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water offered per WAC 173-539A-060(2)(a)?   |
|           | WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.  If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects on March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again.  If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water offered per WAC 173-539A-060(2)(a)?  |
| VIII.     | WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.  If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects on March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again.  If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water offered per WAC 173-539A-060(2)(a)?  |
| VII.      | WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.  If green and a contract assignment is required, fill out "'Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects on March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again.  If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water offered per WAC 173-539A-060(2)(a)?   |
| VIII.     | WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.    If green and a contract assignment is required, fill out ""Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects on March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again.    If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.    Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water offered per WAC 173-539A-060(2)(a)?   |

| rvice (m) MAIL TM REC by; No Insurance Co ion visit our website a |                        |
|---|------------------------|
| (stro   | Postmark Here  8 3 3 3 |

| SENDER: COMPLETE THIS SECTION   | COMPLETE THIS SECTION ON DELIVERY   |  |  |  |  |
|---|---|--|--|--|--|
| <ul> <li>Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.</li> <li>Print your name and address on the reverse so that we can return the card to you.</li> <li>Attach this card to the back of the mailpiece, or on the front if space permits.</li> <li>Article Addressed to:</li> </ul> | A. Signature  X   |  |  |  |  |
| DEVIN & AMY CASTO<br>561 PALOUSE RD<br>CLE ELUM WA 98922  | SEP 0 3 2013  |  |  |  |  |
| WR:ba G4-35617  | 3. Service Type ☐ Certified Mail ☐ Express Mail ☐ Registered ☐ Return Receipt for Merchandise ☐ Insured Mail ☐ C.O.D. |  |  |  |  |
|   | 4. Restricted Delivery? (Extra Fee) ☐ Yes   |  |  |  |  |
| 2. Article Number (Transfer from service label) 7009 2  | 250 0004 4950 2995  |  |  |  |  |
| PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540  |   |  |  |  |  |